

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 07:44
S2	80	S1 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:29
S3	4	S2 and brake and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:25
S5	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 08:15
S6	80	S5 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 08:48
S7	5	S6 and brake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 08:16
S8	5	S6 and (braking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:26
S9	13	("0817220" "0924412" "1206824" "5016849" "5168423" "5206790" "5335142" "6275376" "6397433" "6517129").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/31 12:55

S10	830	(16/255-258).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 12:55
S11	94	S10 and (brake or friction or biasing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 14:14
S12	83	S11 and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 12:57
S13	830	(16/255-258).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 14:15
S14	37	S13 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:27
S15	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 14:16
S16	80	S15 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 14:16
S17	21	S16 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 14:16

S18	2	("20040105227").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/31 15:17
S19	4	((("5268817") or ("5873554"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 07:28
S20	4690	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:25
S21	81	S20 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:25
S22	4	S21 and brake and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:25
S23	4690	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:26
S24	81	S23 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:26
S25	5	S24 and (braking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:26

S26	832	(16/255-258).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:27
S27	37	S26 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:28
S28	29	S27 and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	display and (second near axis) and hinge and brake and shaft and spring and friction and hinge	US-PGPUB	OR	ON	2005/09/21 15:31